



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 09/527,516 | 03/16/2000 | Hirohiko Nakazato | 9976-8US (OB0019US) | 2106 |

570 7590 07/16/2004

AKIN GUMP STRAUSS HAUER & FELD L.L.P.
ONE COMMERCE SQUARE
2005 MARKET STREET, SUITE 2200
PHILADELPHIA, PA 19103-7013

EXAMINER

TRAN, DOUGLAS Q

| ART UNIT | PAPER NUMBER |
|----------|--------------|
|----------|--------------|

2624

10

DATE MAILED: 07/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/527,516

Applicant(s)

NAKAZATO, HIROHIKO

Examiner

Douglas Q. Tran

Art Unit

2624

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 April 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 6-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 6-14 and 18 is/are allowed.
- 6) ☒ Claim(s) 15-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Lee (US Patent No. 6,567,175 B1) and Brown, III et al. (US Patent No. 5,960,166).

As to claim 15, Lee teaches a printing system (i.e., a computer-printer system 300 in fig. 3) comprising a computer (80 in fig. 3, col. 4, lines 57-58) and a printer (50 in fig. 3), the computer (80 in fig. 3) includes a plurality of printer drivers (i.e., 20a, 20b and 20c in fig. 3) respectively corresponding to different emulations (col. 5, lines 5-10 describes that the single printer driver "i.e., an integrated printer driver 25" including different sub-programs or different emulators such as a plurality of the printer drivers 20a, 20b and 20c are stored in the memory 20 according to the type of operating system "e.g. DOS, Windows, UNIX" and a plurality of the application programs being used by the computer 80. Therefore, each of printer drivers provides each emulation so that the printer accepts and understands for processing the type of the print data, via from one of printer drivers, which is generated from one of the application programs as well as the operation system from the computer 80); and

Art Unit: 2624

a printer driver selecting section (i.e., control unit 10 in fig. 1, col. 5, lines 18-23) which performs a comparison on the basis of at least an image data size, a free memory size of the computer and a free memory size of the printer, and selects one of the plurality of printer drivers based on a result of the comparison (it is noted that said computer comparing an environment of said computer "an operational state of the computer" and an environment of said printer "an operational state of the printer" to select one of said printer drivers based on a result of the comparison "col. 5, lines 18-23 describes that the control unit 10 of the computer 80 includes a printer driver calling device 215 for searching and choosing one of the printer drivers corresponding to control signals from control unit 10 generated *after* control unit 10 determines the operational state of the computer 80 and the operational state of the printer 50" . It is understood that the comparison would be understood that it means for the checking of any environment in the computer and any environment in the printer how to be suitable in order for the print job is prepared by the selected printer driver. Therefore, an environment "or an operational state" of the computer and an environment "or an operational state" of the printer are determined as a normal operating "col. 5, lines 50-52". The normal operating would be considered as suitable operating or matching operating between the computer and the printer so that the print job is prepared for printing; and col. 5, lines 25-32 describes that the control unit 10 receives information about the state of computer and printer 50 such as a storage device overflow error or a band error. It should be understood that the capacity of the storage device or the band is related to the size of the image data from the computer. Thus, at least an image data size, a free memory size of the computer and a

Art Unit: 2624

free memory size of the printer is checked and the second printer driver is selected based on that environment);

wherein the computer processes image data by using the selected printer driver and sends the processed image data to the printer (it is noted that the purpose of the selection of the printer driver among the printer drivers is that image data is processed by that selected printer driver).

Although Lee teaches the print job is processed by the selected printer driver before transmitting to the printer (50 in fig. 1), Lee does not explicitly teach the printer processes the received data from the computer by using the judged emulation corresponding to the selected printer driver.

Brown, in the same field of endeavor "i.e., printing system in fig. 1", teaches the printer (12 in fig. 1) processes the received data from the computer (11 in fig. 1) by using the judged emulation corresponding to the selected printer driver (col. 3, line 65 to col. 4, line 5) (it is noted that, a printer driver including a plurality of the driver code "col. 3, lines 60-62" from the host computer process the print data generated from the application program based on the status of the computer and printer "col. 3, lines 18-28, 52-58"; Col. 3, lines 5-7 and 34-40 describes that many printer drivers for operation on host computers such as a host computer 11 "in fig. 1" have been produced for creating page data both in bitmap format and in a page description language "i.e., PDL" such as PCL format or PostScript format. In another case, with respect to col. 3, lines 41-44, if the printer drivers just produce the page description language "PDL", then the printer controller "12 in fig. 1" processes the received print job based on the type of the PDL format by converting it

Art Unit: 2624

into bit map format data for printing; and the printer processes the print data based on the emulation of that driver code from the computer “col. 4, lines 11-22”).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the printer 50 of Lee for processing the received print data from the host computer by using the emulation corresponding to the selected printer driver as taught by Brown. The suggestion for modifying the printing system of Lee can be reasoned by one of ordinary skill in the art as set forth above by Brown because the modified printing system of Lee would increase the efficiency of the functionality of the printer by using the correct emulation for processing the print job from the selected printer driver. The resultant printing systems allow the printer easily to recognize the type of the print job and know how to process the print job when it receives the print format via the printer driver.

As to claim 16, Lee teaches a printing system (i.e., a computer-printer system 300 in fig. 3) comprising a computer (80 in fig. 3, col. 4, lines 57-58) and a printer (50 in fig. 3), the computer (80 in fig. 3) includes a plurality of printer drivers (i.e., 20a, 20b and 20c in fig. 3) respectively corresponding to different emulations (col. 5, lines 5-10 describes that the single printer driver “i.e., an integrated printer driver 25” including different sub-programs or different emulators such as a plurality of the printer drivers 20a, 20b and 20c are stored in the memory 20 according to the type of operating system “e.g. DOS, Windows, UNIX” and a plurality of the application programs being used by the computer 80. Therefore, each of printer drivers provides each emulation so that the printer accepts and understands for processing the type of the print data, via from one of printer drivers,

Art Unit: 2624

which is generated from one of the application programs as well as the operation system from the computer 80);

a data transfer speed determining section, which determines a data transfer speed when image data is transferred from the computer to the printer (col. 5, lines 14-16 and col. 5, lines 59-66: the computer inherently comprises a component corresponding to a data transfer speed determining section for determining a data transfer speed);

a printer driver selecting section (i.e., control unit 10 in fig. 1, col. 5, lines 18-23) which selects one of printer drivers on the basis of at least an image data size, a free memory size of the printer and the data transfer speed (col. 5, lines 14-16) (it is noted that said computer checking an environment of said computer "an operational state of the computer" and an environment of said printer "an operational state of the printer" to select one of said printer drivers "col. 5, lines 18-23 describes that the control unit 10 of the computer 80 includes a printer driver calling device 215 for searching and choosing one of the printer drivers corresponding to control signals from control unit 10 generated *after* control unit 10 determines the operational state of the computer 80 and the operational state of the printer 50". It is understood that the checking of any environment in the computer and any environment in the printer how to be suitable in order for the print job is prepared by the selected printer driver. Therefore, an environment "or an operational state" of the computer and an environment "or an operational state" of the printer are determined as a normal operating "col. 5, lines 50-52". The normal operating would be considered as suitable operating or matching operating between the computer and the printer so that the print job is prepared for printing; and col. 5, lines 25-32 describes that the control unit 10 receives information about the state of computer and

Art Unit: 2624

printer 50 such as a storage device overflow error or a band error. It should be understood that the capacity of the storage device or the band is related to the size of the image data from the computer;

wherein the computer processes image data by using the selected printer driver and sends the processed image data to the printer (it is noted that the purpose of the selection of the printer driver among the printer drivers is that image data is processed by that selected printer driver).

Although Lee teaches the print job is processed by the selected printer driver before transmitting to the printer (50 in fig. 1), Lee does not explicitly teach the printer processes the received data from the computer by using the judged emulation corresponding to the selected printer driver.

Brown, in the same field of endeavor "i.e., printing system in fig. 1", teaches the printer (12 in fig. 1) processes the received data from the computer (11 in fig. 1) by using the judged emulation corresponding to the selected printer driver (col. 3, line 65 to col. 4, line 5) (it is noted that, a printer driver including a plurality of the driver code "col. 3, lines 60-62" from the host computer process the print data generated from the application program based on the status of the computer and printer "col. 3, lines 18-28, 52-58"; Col. 3, lines 5-7 and 34-40 describes that many printer drivers for operation on host computers such as a host computer 11 "in fig. 1" have been produced for creating page data both in bitmap format and in a page description language "i.e., PDL" such as PCL format or PostScript format. In another case, with respect to col. 3, lines 41-44, if the printer drivers just produce the page description language "PDL", then the printer controller "12 in fig. 1" processes the received print job based on the type of the PDL format by converting it

Art Unit: 2624

into bit map format data for printing; and the printer processes the print data based on the emulation of that driver code from the computer “col. 4, lines 11-22”).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the printer 50 of Lee for processing the received print data from the host computer by using the emulation corresponding to the selected printer driver as taught by Brown. The suggestion for modifying the printing system of Lee can be reasoned by one of ordinary skill in the art as set forth above by Brown because the modified printing system of Lee would increase the efficiency of the functionality of the printer by using the correct emulation for processing the print job from the selected printer driver. The resultant printing systems allow the printer easily to recognize the type of the print job and know how to process the print job when it receives the print format via the printer driver.

As to claim 17, Lee teaches a printing system (i.e., a computer-printer system 300 in fig. 3) comprising a computer (80 in fig. 3, col. 4, lines 57-58) and a printer (50 in fig. 3), the computer (80 in fig. 3) includes a plurality of printer drivers (i.e., 20a, 20b and 20c in fig. 3) respectively corresponding to different emulations (col. 5, lines 5-10 describes that the single printer driver “i.e., an integrated printer driver 25” including different sub-programs or different emulators such as a plurality of the printer drivers 20a, 20b and 20c are stored in the memory 20 according to the type of operating system “e.g. DOS, Windows, UNIX” and a plurality of the application programs being used by the computer 80. Therefore, each of printer drivers provides each emulation so that the printer accepts and understands for processing the type of the print data, via from one of printer drivers,

Art Unit: 2624

which is generated from one of the application programs as well as the operation system from the computer 80);

a printer driver selecting section (i.e., control unit 10 in fig. 1, col. 5, lines 18-23) which selects one of printer drivers on the basis of the status of the computer and the printer (it is noted that said computer checking an environment of said computer "an operational state of the computer" and an environment of said printer "an operational state of the printer" to select one of said printer drivers "col. 5, lines 18-23 describes that the control unit 10 of the computer 80 includes a printer driver calling device 215 for searching and choosing one of the printer drivers corresponding to control signals from control unit 10 generated *after* control unit 10 determines the operational state of the computer 80 and the operational state of the printer 50" . It is understood that the checking of any environment in the computer and any environment in the printer how to be suitable in order for the print job is prepared by the selected printer driver. Therefore, an environment "or an operational state" of the computer and an environment "or an operational state" of the printer are determined as a normal operating "col. 5, lines 50-52" . The normal operating would be considered as suitable operating or matching operating between the computer and the printer so that the print job is prepared for printing; and col. 5, lines 25-32 describes that the control unit 10 receives information about the state of computer and printer 50 such as a storage device overflow error or a band error. It should be understood that the capacity of the storage device or the band is related to the size of the image data from the computer),

wherein the computer processes image data by using the selected printer driver and sends the processed image data to the printer (it is noted that the purpose of the

Art Unit: 2624

selection of the printer driver among the printer drivers is that image data is processed by that selected printer driver).

Although Lee teaches the print job is processed by the selected printer driver before transmitting to the printer (50 in fig. 1), Lee does not explicitly teach a printer driver is selected on basis of the determined drawing capability of computer and printer and the printer processes the received data from the computer by using the judged emulation corresponding to the selected printer driver.

Brown, in the same field of endeavor "i.e., printing system in fig. 1", teaches a printer driver is selected on basis of the determined drawing capability of computer (the statement, col. 1, lines 25-32, is indicated as the well known of the prior art), and the printer (12 in fig. 1) processes the received data from the computer (11 in fig. 1) by using the judged emulation corresponding to the selected printer driver (col. 3, line 65 to col. 4, line 5) (it is noted that, a printer driver including a plurality of the driver code "col. 3, lines 60-62" from the host computer process the print data generated from the application program based on the status of the computer and printer "col. 3, lines 18-28, 52-58"; Col. 3, lines 5-7 and 34-40 describes that many printer drivers for operation on host computers such as a host computer 11 "in fig. 1" have been produced for creating page data both in bitmap format and in a page description language "i.e., PDL" such as PCL format or PostScript format. In another case, with respect to col. 3, lines 41-44, if the printer drivers just produce the page description language "PDL", then the printer controller "12 in fig. 1" processes the received print job based on the type of the PDL format by converting it into bit map format data for printing; and the printer processes the print data based on the emulation of that driver code from the computer "col. 4, lines 11-22").

Art Unit: 2624

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the printing system of Lee for determining of the drawing capability of both of the computer and the printer so that the printer of Lee for processing the received print data from the host computer by using the emulation corresponding to the selected printer driver as taught by Brown. The suggestion for modifying the printing system of Lee can be reasoned by one of ordinary skill in the art as set forth above by Brown because the modified printing system of Lee would increase the efficiency of the functionality of the printing system by selecting the printer driver based on the drawing capability of the computer and the printer and printer by using the correct emulation for processing the print job from the selected printer driver. The resultant printing systems allow the printer easily to recognize the type of the print job and know how to process the print job when it receives the print format via the printer driver.

Allowable Subject Matter

3. Claims 6-14, 18 are allowed.

Claim 6 and 18 are independent claim.

The following is an examiner's statement of reasons for allowance:

As to claim 6, the present invention from the application discloses the structure of the printing system comprising a computer having printer driver selecting section which compares the environments of the computer and the printer from a computer environment determining section and a printer environment determining section to select one of the printer drivers; and the printer further including an emulation judging section which judges one of the emulations corresponding to the selected one of the printer drivers. The

Art Unit: 2624

closest prior art such as Lee (US Patent No. 6,567,175 B1) discloses a printer driver calling device for selecting one of printer drivers corresponding to control signals from control unit generated after control unit determines the operational state of computer and printer; and Brown, III et al. (US Patent No. 5,960,166) teaches that the printer receives the print data in PDL format generated by the printer driver from the computer. However, the combination of Lee and Brown, including an updated electronic text search, fails to anticipate or render the above underlined limitations obvious.

As to claim 18, The closest prior art such as Lee (US Patent No. 6,567,175 B1) discloses a printer driver calling device for selecting one of printer drivers corresponding to control signals from control unit generated after control unit determines the operational state of computer and printer; and Brown, III et al. (US Patent No. 5,960,166) teaches that the printer receives the print data in PDL format generated by the printer driver from the computer. However, the combination of Lee and Brown, including an updated electronic text search, fails to anticipate or render the particular following limitations: “an intermediate metafile generating section which generates an intermediate metafile from image data; an intermediate metafile analyzing section which analyzes an evaluation size of the generated intermediate metafile; and a printer driver selecting section which selects one of printer drivers on the basis of the analyzed evaluation size and a free memory size of the printer”. The above underlined limitations render this claim allowable.

Response to Arguments and Amendment

4. Applicant's arguments filed 4/15/04, with respect to claims 15-17, have been fully considered but they are not persuasive.

Applicant asserted in page 9 that "In contrast, the printer driver in claim 15 is selected based on a comparison "on the basis of at least an image data size, a free memory size of the computer and a free memory size of the printer. Lee does not teach or suggest printer drivers and/or control signals which are selected or changed based on any comparison or that the selection of such printer drivers is related to image data size and free memory size of both the printer and computer". In reply, the comparison is addressed from the claim 15 without any of conditions. The limitation of "the comparison" is merely meaning the checking or monitoring the status of both of the computer and the printer. Lee clearly teaches a printer driver selecting section (i.e., control unit 10 in fig. 1, col. 5, lines 18-23) which performs a comparison on the basis of at least an image data size, a free memory size of the computer and a free memory size of the printer, and selects one of the plurality of printer drivers based on a result of the comparison (it is noted that said computer comparing an environment of said computer "an operational state of the computer" and an environment of said printer "an operational state of the printer" to select one of said printer drivers based on a result of the comparison "col. 5, lines 18-23 describes that the control unit 10 of the computer 80 includes a printer driver calling device 215 for searching and choosing one of the printer drivers corresponding to control signals from control unit 10 generated *after* control unit 10 determines the operational state of the computer 80 and the operational state of the printer 50" . It is understood that the comparison would be understood that it means for the checking of

Art Unit: 2624

any environment in the computer and any environment in the printer how to be suitable in order for the print job is prepared by the selected printer driver. Therefore, an environment “or an operational state” of the computer and an environment “or an operational state” of the printer are determined as a normal operating “col. 5, lines 50-52”. The normal operating would be considered as suitable operating or matching operating between the computer and the printer so that the print job is prepared for printing; and col. 5, lines 25-32 describes that the control unit 10 receives information about the state of computer and printer 50 such as a storage device overflow error or a band error. It should be understood that the capacity of the storage device or the band is related to the size of the image data from the computer. Thus, at least an image data size, a free memory size of the computer and a free memory size of the printer is checked and the second printer driver is selected based on that environment).

Applicant asserted in page 11 that “ neither Lee nor Brown teaches the element of claim 17: ...selects one of the plurality of printer drivers on the basis of the size of the image data, a free memory size of the printer and the data transfer speed”. In reply, Lee clearly teaches a data transfer speed determining section which determines a data transfer speed when image data is transferred from the computer to the printer (col. 5, lines 14-16 and col. 5, lines 59-66: the computer inherently comprises a component corresponding to a data transfer speed determining section for determining a data transfer speed).

Applicant asserted in page 11 that “neither Lee nor Brown teaches the element of claim 17:...selects one of the plurality of printer drivers on the basis of the determined

Art Unit: 2624

computer drawing capability and the determined printer drawing capability". Brown, in the same field of endeavor "i.e., printing system in fig. 1", which modifies the deficiency of the Lee and teaches a printer driver is selected on basis of the determined drawing capability of computer (the statement, col. 1, lines 25-32, is indicated as the well known of the prior art).

For the above reasons, it is believed that the cited prior art fully discloses the claimed invention and the rejection stand.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.


Art Unit: 2624

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Douglas Q. Tran whose telephone number is (703) 305-4857 or E-mail address is Douglas.tran@uspto.gov.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 305-4700.

Douglas Q. Tran

July 07, 2004

A handwritten signature in cursive script, reading "Gabriel Garcia".

GABRIEL GARCIA
PRIMARY EXAMINER